





THERMOCOUPLE, RTD, M.I. ACCESSORIES AND CABLES


Brass Terminal(BT)



Ceramic Block(CB)



Ceramic Terminal Block(CTB)



HK TEMPSSENSORS (INDIA)

Unit No. 16, Veena dalvi Industrial Estate, S. V. Road, Near Ajit Glass Factory,
Jogeshwari (W), Mumbai - 400 102, INDIA.

E-Mail : hktempsensorsindia@yahoo.in
hktempsensorsindia@google.com

Contact : +91-22-26773837

Telefax : +91-22-66954779

Mobile : +91-9967642914

Website : www.hktempsensorsindia.com

**Bayonet Cap (Holder)
(Single Or Double Slot)**

**Adaptors
(Single Or Double Pin)**



Ø 11 mm



Ø 1/2"



Ø 15 mm



Ø 5/8"



1/2" BSW



1/4" BSP



1/8" BSP



1/8" BSP(r)



5/8" BSW



3/8" BSP



1/8" BSP(r)
LONG

Flexible Sensor Assembly



Washer Type
Assembly



Straight Spring
Loaded Assembly



LRB - Spring Loaded
Assembly



LBF - Spring
Loaded Assembly



L - Spring Loaded
Assembly



L-Rotating
Assembly



Hot Runner Assembly
(MANIFOLD TYPE)




Tip Adjustable
Assembly



Spring Movable
Assembly



Inmelt Assembly



L - Inmelt
Assembly



Pipe Washer
Assembly



Side Clamp Assembly



Rotating Assembly



Transition Assembly



Nozzle Heater(Pipe Clamp)
Assembly



Fully Adjustable Assembly

**Flexible Conduit Pipe
(SS/Galvanised)**



M.I. Cables & Accessories



M.I.POTSEALS
(SS/BRASS)



M.I. Spring Loaded Assemblies (SLA)



Fibre Washer



SS Plate



SLA 1



SLA 1
WITH SS PIPE



8 Way MI SLA



6 Way MI
SLA



SLA 2
BIG SS PLATE



Plate With
SS Pipe



SLA 3(FOR EXPORT)



SLA 4(FOR EXPORT)



Connection Head(Temperature Sensor Enclosure)



Mini Head 1



Mini Head 2



Mini Head 3



Plastic Head



Small Bakelite Head



Weather Proof Head



Weather Proof Head(BIG)



Hinge Type Head



Imported Head 1



Imported Head 2



Imported Head 3



Imported Head 4



Flame Proof Head 1



Flame Proof Head 2
(II C APPROVED)



IP-65 HEAD



SS Head



SS Head (SMALL)



Stainless Steel(SS) Head 1



Stainless Steel(SS) Head 2



Stainless Steel(SS) KNE Type Head

Flanges & Fittings



Plug
(SS/MS/Brass)




Double Nipple Union(SS)



Adjustable Compression Fittings(SS/Brass/MS)




Flange 1
(Aluminium Powder Coated)




Flange 2
(SS)

Thermocouple,RTD Plug Socket (J,K,R,T,S)



Standard Pin (ROUND PIN)



Standard Pin (ROUND PIN)



Standard Pin (ROUND PIN)



A+A Round Pin



Mini



Mini/Sub-Mini (FLAT PIN)

Handle Probe Handles(H)



H 1-Omega Type
(Aluminium Powder Coated)



H 2-Radix Type
(Aluminium Powder Coated With Plug)





H 3(Red Handle Pipe)




H 4(Abonite Handle -Spring-Plug)

RTD Elements(SIMPLEX / DUPLEX) Film & Ceramic Types



Plug Socket SS Clamp(PSSC)



PSSC 1



PSSC 2



PSSC 3



PSSC 4


Ceramic Insulators (SINGLE/DOUBLE/FOUR/SIX HOLE) (ROUND/OBLONG)



High Temperature Ceramic Tube & Insulator(KER 610/710)



High Temperature Cement (ZIRCOCEM)



Thermocouple Conductors Compensating & Extension Cables

